



PROJECT

FIRM

ORDER #

TYPE


QTY



PIL19A is a high-output LED gobo projector, fully rated for outdoor operation. Using the intuitive OLED menu system you can choose any of six gobo images and adjust the zoom to suit the projection area. The motorized zoom delivers a wide 8° - 50° range and the focus system renders your images pin sharp. Non-volatile memory ensures that all settings are sustained through every power cycle. Illumination is provided by a high-power LED array that provides exceptional output and precise imaging. The PIL19A benefits from an internal auto-switching 100-277VAC power supply, drawing a maximum of 310W.




AT A GLANCE



Power

100 to
277VAC
50/60Hz

Gobo wheel



Protection

Ingress: **IP66**
Impact: **IK07**

Output

Up to
12,307 lumens
850,446 center candela

CONFIGURE YOUR PRODUCT

PIL19A-

Example final code: **PIL19A-CEN**

Gobo set & language:

CEN = Crosswalk + stop signs (English)

CSP = Crosswalk + stop signs (Spanish)

SEN = Signage (English)

SSP = Signage (Spanish)

SCAN
FOR
PRODUCT
PAGE





PROJECT

FIRM

ORDER #

TYPE

QTY

SPECIFICATIONS

Emitters	Custom 300W LED array
Optics	8° - 50° zoom range via motorized system with separate focus control
Output	Up to 12,307 lumens, 850,446 center candela
Lumen maintenance	L ₇₀ 50,000 hours
Control	Manual setting via on-board OLED menu display, built-in power failure memory
Gobos	6 gobo set: 27mm outside diameter, 15mm inside diameter
Operating voltage	100-277VAC, 50/60 Hz
Power consumption	310W
Connection	Removable power cord (20 feet, 6m with bare wire tails)
Mounting	Surface mount yoke included. Tenon and pipe clamp mount options available
Material	Die cast aluminum with a glass lens. Optional marine environment coating available
Finish color	Black (RAL 9005)
Ambient temperature range	-40° F to 125° F (-40° C to 51° C)
Ingress protection	IP66, wet location
Impact protection	IK07, protection against 2 joule impact (40cm distance)
Warranty	3 years, limited
Weight	29 lbs (13.1 kg)
Dimensions	WxHxD: 16.9" x 7.5" x 21.8" (393 x 232 x 446mm) - <i>see page 4</i>
Certifications	   

SCAN
FOR
PRODUCT
PAGE






	PROJECT		FIRM		ORDER #		TYPE		QTY
----------------------	---------	----------------------	------	----------------------	---------	----------------------	------	----------------------	-----


RELATED COMPONENTS

Gobo sets

CEN: Crosswalk + stop signs (English)



CSP: Crosswalk + stop signs (Spanish)



SEN or SSP: Signage (English or Spanish)



Custom images available upon request





PROJECT


FIRM

ORDER #

TYPE

QTY

DIMENSIONS



SCAN
FOR
PRODUCT
PAGE

